

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 3 of 11

Amendments to the claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

Claim 1 (currently amended): A portable information apparatus, which is of a folder type, comprising:

a display section for displaying information on one of surfaces that face each other when the portable information apparatus is folded,

wherein said display section is composed of an image display region and a non-image region, ~~where such that~~

when the portable information apparatus is not folded, both the image display region and the non-image region display information;

when the portable information apparatus is folded, the image display region displays information while the non-image region displays no information; and

at least a part of said image display region can be seen when the portable information apparatus is folded.

Claim 2 (original): The portable information apparatus as set forth in claim 1, wherein at least one of a position and a size of said image display region is changed in accordance with the information displayed on said display section.

Claim 3 (original): The portable information apparatus as set forth in claim 1, comprising:

a driving section for driving said display section; and

a control section for controlling said driving section so as to display the information, when the portable information apparatus is folded, on a region of said display section, which can be seen when the portable information apparatus is in a folded state,

said driving section, including:

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 4 of 11

a scanning signal line driving section for outputting to each scanning signal line a scanning signal for display, which is based on information to be displayed on said display section;

a data signal line driving section for outputting to each data signal line a data signal for display, which is based on information to be displayed on said display section; and

a setting section for setting in said display section said image display region, in which the information is displayed, and said non-image region, which is in a single color,

wherein said control section controls said scanning signal line driving section so as to scan the scanning signals for display at a same time with respect to a plurality of scanning signal lines that correspond to non-image region set by said setting section.

Claim 4 (original): The portable information apparatus as set forth in claim 1, comprising:

a transparent section in a part of the portable information apparatus, which faces said display section when the portable information apparatus is folded, said transparent section including a lens for magnifying and displaying information displayed on said display section.

Claim 5 (original): The portable information apparatus as set forth in claim 1, wherein radio wave receiving condition and/or battery lasting information is displayed on the region of said image display region, which can be seen when the portable information apparatus is folded.

Claim 6 (original): The portable information apparatus as set forth in claim 1, comprising:

a transparent section in a part of the portable information apparatus, which faces to said display section when the portable information apparatus is folded, said transparent section including a transparent touch panel so as to operate the portable information apparatus by pushing a predetermined region of said touch panel.

Claim 7 (original): A portable information apparatus as set forth in claim 3, further comprising:

a detector for detecting whether or not the portable information apparatus in a folded state,

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 5 of 11

wherein said setting section sets said image display region for displaying the information, and said non-image region in said single color, in accordance with a detection result given by said detector.

Claim 8 (original): The portable information apparatus as set forth in claim 3, wherein said display section is composed of a plurality of divisional regions, and said setting section decides which of said divisional regions is to be said image display region and which of said divisional regions is to be said non-image region, in accordance with contents of the information to be displayed on said display section.

Claim 9 (original): The portable information apparatus as set forth in claim 3, wherein said scanning signal line driving section includes a plurality of shift resistors for respectively outputting, in order, scanning signals for display to said respective scanning signal lines.

Claim 10 (original): The portable information apparatus as set forth in claim 3, wherein said data signal line driving section further includes first stopping means for stopping said data signal line driving section from operating for a period between (a) a time when said setting section scans at the same time a plurality of the scanning signals for display with respect to each scanning signal line that corresponds to said non-image region and (b) a time for carrying out a next sequential output.

Claim 11 (original): The portable information apparatus as set forth in claim 3, wherein said scanning signal line driving section further includes second stopping means for stopping said scanning signal line driving section from operating for a period between (a) a time when said setting section scans at the same time a plurality of the scanning signals for display with respect to each scanning signal line that corresponds to said non-image region and (b) a time for carrying out a next sequential output.

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 6 of 11

Claim 12 (original): The portable information apparatus as set forth in claim 3, wherein a first clock signal for a display on said image display region has a frequency different from that of a second clock signal for a display on said non-image display region.

Claim 13 (new): A portable information apparatus, which is of a folder type, comprising:
a display section for displaying information on one of surfaces that face each other when the portable information apparatus is folded,
wherein said display section is composed of an image display region and a non-image region, where at least a part of said image display region can be seen when the portable information apparatus is folded,
the portable information apparatus further comprising:
a driving section for driving said display section; and
a control section for controlling said driving section so as to display the information, when the portable information apparatus is folded, on a region of said display section, which can be seen when the portable information apparatus is in a folded state,
said driving section, including:
a scanning signal line driving section for outputting to each scanning signal line a scanning signal for display, which is based on information to be displayed on said display section;
a data signal line driving section for outputting to each data signal line a data signal for display, which is based on information to be displayed on said display section; and
a setting section for setting in said display section said image display region, in which the information is displayed, and said non-image region, which is in a single color,
wherein said control section controls said scanning signal line driving section so as to scan the scanning signals for display at a same time with respect to a plurality of scanning signal lines that correspond to non-image region set by said setting section.

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 7 of 11

Claim 14 (new): A portable information apparatus as set forth in claim 13, further comprising:
a detector for detecting whether or not the portable information apparatus is in a folded state,
wherein said setting section sets said image display region for displaying the information, and said non-image region in said single color, in accordance with a detection result given by said detector.

Claim 15 (new): The portable information apparatus as set forth in claim 13, wherein said display section is composed of a plurality of divisional regions, and said setting section decides which of said divisional regions is to be said image display region and which of said divisional regions is to be said non-image region, in accordance with contents of the information to be displayed on said display section.

Claim 16 (new): The portable information apparatus as set forth in claim 13, wherein said scanning signal line driving section includes a plurality of shift resistors for respectively outputting, in order, scanning signals for display to said respective scanning signal lines.

Claim 17 (new): The portable information apparatus as set forth in claim 13, wherein said data signal line driving section further includes first stopping means for stopping said data signal line driving section from operating for a period between (a) a time when said setting section scans at the same time a plurality of the scanning signals for display with respect to each scanning signal line that corresponds to said non-image region and (b) a time for carrying out a next sequential output.

Claim 18 (new): The portable information apparatus as set forth in claim 13, wherein said scanning signal line driving section further includes second stopping means for stopping said scanning signal line driving section from operating for a period between (a) a time when said setting section scans at the same time a plurality of the scanning signals for display with respect to each scanning signal line that corresponds to said non-image region and (b) a time for carrying out a next sequential output.

S. Kishimoto et al.
U.S. Serial No. 10/000,239
Page 8 of 11

Claim 19 (new): The portable information apparatus as set forth in claim 13, wherein a first clock signal for a display on said image display region has a frequency different from that of a second clock signal for a display on said non-image display region.

Claim 20 (new): A portable information apparatus, which is of a folder type, comprising:
a display section for displaying information on one surface when the portable information apparatus is folded,

wherein said display section is composed of an image display region and a non-image region, where only said image display region can be seen when the portable information apparatus is folded, while no information is displayed on the non-image region.